



Matthew Hansbury September 27, 2010



HS SEDI is a trademark of the U.S. Department of Homeland Security (DHS). The HS SEDI FFRDC is managed and operated by The MITRE Corporation for DHS.

Overview



What & Why?

OVAL Language

- Overall Assessment Process
- Language details
- Example
- OVAL Interpreter
- OVAL Repository
- Advanced Topics
- Resources





What is OVAL?



An international, information security, community standard to promote open and publicly available security content, and to standardize the transfer of this information across the entire spectrum of security tools and services.

Open Vulnerability and Assessment Language

- A community-developed open standard
- Began in December 2002
- Enables automated assessment and compliance checking

OVAL Language

- XML-based framework for making logical assertions about a system
 - Vulnerable, Compliant, Installed application, Patched
- OVAL Interpreter
 - An open source reference implementation

OVAL Repository

- Collection of community contributed OVAL Definitions
- "promote open and publicly available security content"

OVAL Adoption

- Both educate vendors and receive constructive technical feedback



Why OVAL?



Transparency & Interoperability

- Allows users to know exactly what their tool is doing
- Allows users to compare and mix-and-match tools
- Allows vendors to focus on core competency

Variety of use cases

- Security advisory distribution
- Vulnerability assessment
- Malware and threat indicator sharing
- Configuration management
- Audit and centralized audit validation
- Security Information Management Systems (SIMS)
- System inventory
- Patch management





MITRE's Role in OVAL



MITRE is a not-for-profit corporation, chartered to work solely in the public interest.

- MITRE operates Federally Funded Research and Development Centers (FFRDCs).
- Non-compete charter fosters "trusted moderator" status.
- Work in the public interest.
- Government sponsored.

OVAL Moderator

- Help drive consensus between government customers and greater community with technical solutions and changes.
- Promote the **growth and adoption** of OVAL.
- **Listen** to the community and guide the development of OVAL.
- Facilitate the OVAL Board.
- **Moderate** the OVAL Repository.
- Balance different perspectives to arrive at the consensus solution that is best for OVAL and the public interest.





OVAL Definitions Schema

• Framework for logical assertions about a system

OVAL System Characteristics Schema

• Encoding of the details of a system (database of system info)


OVAL Results Schema

• Encoding of the detailed results of an analysis





Assessment Process





OVAL Language



Standardizes the three main steps of the assessment process

- Representing configuration information of systems for testing
 - Characteristics of the system (OVAL System Characteristics)
- Analyzing the system for the presence of a specified machine state
 - Defining how to check for a state (OVAL Definitions)
- <u>Reporting</u> the results of the assessment
 - Results (OVAL Results)

More than just compliance, can describe many states:

- Vulnerable
- Compliant
- Installed application
- Patched



Characteristics extracted and encoded as an OVAL Definition. OVAL Analysis 4 Analysis The OVAL Definitions from Step 2, and the System Current Vulnerable state Characteristics from Step 3 are $\overset{\gg}{\Longrightarrow}$ compared to □ _{Not} determine if the Vulnerable current system Vulnerable state is vulnerable state or not.

OVAL Definitions

Definitions are generated

Specific machine configuration details from Advisory and Policy documents are

2)


Security advisories

Vendors and leading security organizations publish security advisories that warn of current threats and system vulnerabilities.

Configuration policy

Government agencies such as NSA and NIST develop "Best Practices" policy for system security.

The OVAL Process





(3)

OVAL System

Data collected from

OVAL Definitions are

structured to indicate

information needs to

be collected from an


individual system.

what configuration

computers

Core Schemas Relationships










Component Schemas

Number of Definition Component Schemas: 16



Linux

Unix

□ Apple MacOS

Microsoft Windows

□Sun Solaris

Microsoft Sharepoint

□...


- UWhere do these schemas come from?
 - OVAL community drives schema development

| Definitions Schema | |
|--------------------|------------------|
| C | ore Schema |
| C | omponent Schemas |



Structure of an OVAL Definition







CTRL+ALT+DEL - OVAL Definition





Windows registry key HKLM\Software\Microsoft\Windows\CurrentVersion\Policies\System\disablecad has a value equal to "0".


HKLM\Software\Microsoft\Windows\CurrentVersion\Policies\System\disablecad

value = "0"



CTRL+ALT+DEL - Registry Object





<registry_object id="oval:com.example:obj:1">

<hive>HKEY_LOCAL_MACHINE</hive>

<key>Software\Microsoft\Windows\CurrentVersion\Policies\System</key>

<name>disablecad</name>


</registry_object>



14 The HS SEDI FFRDC is managed and operated by The MITRE Corporation for DHS.

CTRL+ALT+DEL - Registry State






<registry_state id="oval:com.example:ste:1"> <value datatype="int" operation="equals">0</value> </registry_state>



CTRL+ALT+DEL - Registry Test





<registry_test id="oval:com.example:tst:1" check="all"> <object object_ref="oval:com.example:obj:1"/> <state state_ref="oval:com.example:ste:1"/> </registry_test>



CTRL+ALT+DEL - OVAL Definition







```
<oval definitions ...>
 <generator>...</generator>
 <definitions>
  <definition id="oval:org.mitre.oval.tutorial:def:1" version="1" class="miscellaneous">
   <metadata>
    <title>CTRL+ALT+DEL Required for Logon</title>
    <affected family="windows"/>
    <description>This definition is used to introduce the OVAL Language.
   </metadata>
   <criteria>
    <criterion test_ref="oval:org.mitre.oval.tutorial:tst:1" comment="The registry key is set to require CTRL+ALT+DEL for Logon"/>
   </criteria>
  </definition>
 </definitions>
 <tests>
  <registry_test id="oval:org.mitre.oval.tutorial:tst:1" version="1" check= "all" comment="The registry key is set to require CTRL+ALT+DEL for Logon" xmlns="http://oval.mitre.org/XMLSchema/oval-definitions-5#windows">
   <object object ref="oval:org.mitre.oval.tutorial:obj:1"/>
   <state state ref="oval:org.mitre.oval.tutorial:ste:1"/>
  </registry test>
 </tests>
 <objects>
  <registry object id="oval:org.mitre.oval.tutorial:obj:1" version="1" xmlns="http://oval.mitre.org/XMLSchema/oval-definitions-5#windows">
   <hive>HKEY LOCAL MACHINE</hive>
   <key>Software\Microsoft\Windows\CurrentVersion\Policies\System</key>
   <name>disablecad </name>
  </registry object>
 </objects>
 <states>
  <registry state id="oval:org.mitre.oval.tutorial:ste:1" version="1" xmlns="http://oval.mitre.org/XMLSchema/oval-definitions-5#windows">
   <value datatype="int" operation="equals">0</value>
  </registry state>
 </states>
</oval definitions>
```




OVAL Interpreter



Freely available **reference implementation** that demonstrates usability and drives the development of the OVAL Language

- Validates & tests content
- A reference for developers
- Supports OVAL Adoption
 - Leveraged by the NIST SCAP and OVAL Validation Programs
- Version 5.8.1 released on September 15th, 2010

https://oval.mitre.org/language/interpreter









The central meeting place for the community to discuss, analyze, store, and disseminate OVAL Definitions.

- Active community contributing OVAL Definitions for the latest vulnerabilities.
 - <u>https://oval.mitre.org/repository/</u>

Coverage for a diverse set of applications and operating systems

- Microsoft, Mozilla, Solaris, Adobe, Apple
- **10,000** Definition Milestone September 16, 2010

Other Public Repositories of OVAL content





Advanced Topics

Variables

- Variables define values to be obtained at run time
- Three types of variables
 - constant_variable
 - external_variable
 - local_variable
- Used to pass XCCDF variables into OVAL

Extended Definitions

- Existing definitions may be extended.
- Simplifies writing definitions

Pattern Matching

- Allows use of Regular Expressions for matching

Behaviors

- Allow more detailed definition of an Object
- Guides data collectors



ITSAC Resources



Come to the Automation Specifications track OVAL session

- Further explore the OVAL Language
- Tuesday from 1:30pm 2:15pm

Come to the OVAL Workshop

- Help shape the future direction
- Wednesday from 2:15pm 3:00pm

MITRE Booth

 Talk to MITRE representatives regarding OVAL and other Standards







Get Involved!



Website

<u>https://oval.mitre.org/</u>

Join the OVAL mailing lists

- **OVAL-Announce** General news and announcements about OVAL
- OVAL Developer's Forum Public forum for discussing the OVAL Language, addressing OVAL implementation issues, and for assisting other developers with OVAL.
- OVAL Repository Forum Public forum for discussing OVAL Repository content.
- https://oval.mitre.org/community/registration.html

Participate in the OVAL Adoption Program

- List your product and help shape the effort
- https://oval.mitre.org/adoption/

